




# CIRCUS

PENDANT/CEILING LIGHT



## KEY FEATURES

- Recessed, Surface, Suspended and Wall mounting
- 13 different sizes ranging from 600mm to 8000mm diameters
- Direct lighting in 2700K, 3000K or 4000K colour temperatures
- A range of dimming/control options including Fixed Output, 1-10V, DALI, Touch-Dim or Casambi control
- CRI >80 as standard, with >90 on request
- Integrated 3 hour emergency conversions available
- White, Black, Silver, Graphite, Copper and Champagne finish



**CASAMBI**

**60 YEARS  
IN LIGHT**

**FOR MORE INFORMATION  
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69  
EMAIL: [sales@optelma.co.uk](mailto:sales@optelma.co.uk)

ISSUE DATE: 09/12/20

**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland

## CIRCUS SPECIFICATIONS


PRODUCT OPTIONS	
Dimensions (mm):	100 (W) (110 + Trim*) x 80 (H) x Various Diameters (below)
Cut-out (mm):	100 (W) x 80 (H) with a 5mm Trim
Lifetime:	50,000 hrs
Mounting type:	Recessed, Surface, Suspended Parallel, Suspended Central, Wall
Finish:	White, Black, Silver, Graphite, Copper, Champagne
Emergency:	Standard 3 hour emergency conversion
Operating voltage:	230V
IP Rating:	IP20
Light source:	Low Power LED, Medium Power LED
Driver:	Fixed Output, 1-10V, DALI, Touch Dim, Casambi control
Colour temperature:	2700K, 3000K, 4000K
Beam Angle:	N/A
Diffuser:	Opal, MPO
CRI:	CRI80, CRI90
Optional Extras:	Integrated sensors, spotlights, RGB LED and more on request

\* 5mm trim for recessed version. Surface Mounted version can be Ceiling or Wall mounted.


### CHOOSE A SIZE TO MATCH YOUR PROJECT

Diameter/Size	Low Power Direct Opal*	Medium Power Direct Opal*	Low Power Direct MPO*	Medium Power Direct MPO*
600	2690lm/25W	3680lm/35W	2600lm/25W	3560lm/35W
900	4290lm/39W	5770lm/54W	4140lm/39W	5580lm/54W
1200	6470lm/56W	8720lm/78W	6250lm/56W	8430lm/78W
1500	8040lm/70W	10820lm/102W	7770lm/70W	10450lm/102W
2000	10710lm/91W	14420lm/124W	10360lm/91W	13940lm/124W
2500	12500lm/124W	16720lm/156W	14510lm/124W	19410lm/156W
3000	15390lm/138W	20580lm/188W	17860lm/138W	23890lm/188W
3500	17310lm/157W	23160lm/214W	20090lm/157W	26870lm/214W
4000	20200lm/193W	27020lm/250W	23440lm/193W	31350lm/250W
5000	25010lm/225W	33450lm/307W	29020lm/225W	38810lm/307W
6000	30780lm/275W	41170lm/375W	35710lm/275W	47770lm/375W
7000	36550lm/329W	48890lm/448W	42410lm/329W	56730lm/448W
8000	40880lm/372W	54670lm/500W	47430lm/372W	63450lm/500W


\* Luminaire luminous flux with Opal diffuser and 4000K LED.



SURFACE/SUSPENDED DIMENSIONS (MM)



RECESSED DIMENSIONS (MM)



POLAR CURVE 4000K OPAL



**60 YEARS  
IN LIGHT**

#### FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69  
EMAIL: sales@optelma.co.uk

ISSUE DATE: 09/12/20


**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland


**CIRCUS COMPONENTS**



**MATT WHITE**  
Powder-coated Matt  
White RAL 9003  
painted finish.

**OPAL DIFFUSER**  
Opal polycarbonate  
diffuser.

**CENTRAL  
SUSPENSION**  
Stainless steel cable,  
Max height 4000mm.  
Only available for  
sizes 600 - 2000mm.



**MATT BLACK**  
Powder-coated Matt  
Black RAL 9004  
painted finish.

**MPO DIFFUSER**  
Micro Pyramidal  
Optic diffuser.

**PARALLEL  
SUSPENSION**  
Stainless steel cable,  
Max height 4000mm.



**MATT SILVER**  
Powder-coated Matt  
Silver RAL 9006  
painted finish.

**RGBW DIRECT  
LIGHTING**  
Colour lighting  
options available.



**CASAMBI**

**60 YEARS  
IN LIGHT**

**FOR MORE INFORMATION  
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69  
EMAIL: [sales@optelma.co.uk](mailto:sales@optelma.co.uk)

ISSUE DATE: 09/12/20

**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland

## CIRCUS SPECIFICATION CODE

AAAA - BB/C/D/E - F/GGG - HHHH/I								
AAAA PRODUCT ID	BB MOUNTING	C FINISH	D DRIVER	E DIFFUSER	F DIRECT LED	GGG CRI/ COLOUR	HHH DIAMETER/ SIZE (mm)	I EMERGENCY
CIRC	RE SM WM SC SP	B W S X*	F D 1 T C	O M	L M	827 830 840	0600 0900 1200 1500 2000 2500 3000 3500 4000 5000 6000 7000 8000	E

\* **X** Custom Options - specify details alongside code

PRODUCT ID **CIRC** Circus ceiling light

MOUNTING **RE** Recessed, **SM** Surface Mounted, **WM** Wall Mounted, **SC** Suspended Central, **SP** Suspended Parallel

FINISH **B** Black, **W** White, **S** Silver, **G** Graphite, **H** Champagne Silver, **C** Satin Copper

DRIVER **F** Fixed Output, **D** DALI, **1** 1-10V, **T** Touch Dim, **C** Casambi control

DIFFUSER **O** Opal, **M** MPO

DIRECT LED **L** Low power LED, **M** Medium power LED

CRI / COLOUR **927** CRI 90+ Colour 2700K, **930** CRI 90+ Colour 3000K, **940** CRI 90+ Colour 4000K

DIAMETER / SIZE Diameter/Size in millimetres

EMERGENCY **E** Standard Integrated Emergency - specify details alongside code

### STANDARD

Standard fixed option products for quick and easy specification. Point source LED and Linear LED solutions, organised into Track & Spots, Downlights, Recessed, Surface, Suspended and Wall mounted solutions.

### MADE-TO-MEASURE

Versatile systems and luminaires with custom specifications for project-specific lighting. Available in custom sizes and lengths, with many options including curves, corners, finishes, integrated accessories and more.

### BESPOKE

Bespoke luminaires demonstrating completely custom project solutions, designed with the clients from concept to delivery. Learn about the design process and inspire your next bespoke lighting project.



**CASAMBI**

**60 YEARS  
IN LIGHT**

#### FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69  
EMAIL: sales@optelma.co.uk

ISSUE DATE: 09/12/20

**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland