




CIRCUS SLIM

PENDANT/CEILING LIGHT



KEY FEATURES

- Surface mounted, Suspended and Wall mounted ring light
- 13 different sizes ranging from 600mm to 8000mm diameters
- Direct lighting in 2700K, 3000K or 4000K colour temperatures
- A range of dimming/control options including Fixed Output, 1-10V, DALI, Touch-Dim or Casambi control
- CRI >80 as standard, with >90 on request
- Integrated 3 hour emergency conversions available
- White, Black, Silver, Graphite, Copper and Champagne finish



CASAMBI

**60 YEARS
IN LIGHT**

FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 09/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland

CIRCUS SLIM DIRECT SPECIFICATIONS


PRODUCT OPTIONS	
Dimensions (mm):	60 (W) x 80 (H) x Various Diameters (below)
Cut-out (mm):	N/A
Lifetime:	50,000 hrs
Mounting type:	Surface, Suspended Parallel, Suspended Central, Wall*
Finish:	White, Black, Silver, Graphite, Copper, Champagne
Emergency:	Standard 3 hour emergency conversion
Operating voltage:	230V
IP Rating:	IP20
Light source:	Medium Power LED, High Power LED
Driver:	Fixed Output, 1-10V, DALI, Touch Dim, Casambi control
Colour temperature:	2200K, 2700K, 3000K, 3500K, 4000K, 6500K
Beam Angle:	N/A
Diffuser:	Opal, MPO
CRI:	CRI80, CRI90
Optional Extras:	More finish options on request

* Surface Mounted version can be Ceiling or Wall mounted. Further finish options on request.


■ CHOOSE A SIZE TO MATCH YOUR PROJECT

Diameter /Size	Medium Power Direct Opal*	High Power Direct Opal*	Medium Power Direct MPO*	High Power Direct MPO*
600	2060lm/25W	3110lm/38W	2480lm/25W	3750lm/38W
900	3410lm/39W	4670lm/55W	4100lm/39W	5620lm/55W
1200	4420lm/50W	5990lm/70W	5320lm/50W	7210lm/70W
1500	5890lm/66W	7990lm/92W	7090lm/66W	9620lm/92W
2000	6970lm/87W	10200lm/132W	8340lm/87W	12200lm/132W
2500	9060lm/112W	13260lm/172W	10840lm/112W	15860lm/172W
3000	11160lm/137W	16320lm/207W	13340lm/137W	19520lm/207W
3500	13250lm/162W	19380lm/248W	15850lm/162W	23180lm/248W
4000	13950lm/171W	20400lm/259W	16680lm/171W	24400lm/259W
5000	18130lm/221W	26520lm/340W	21680lm/221W	31720lm/340W
6000	22310lm/272W	32640lm/414W	26690lm/272W	39040lm/414W
7000	25100lm/305W	36720lm/466W	30020lm/305W	43920lm/466W
8000	29290lm/355W	42840lm/547W	35030lm/355W	51240lm/547W


* Luminaire luminous flux with 4000K LED.



SURFACE/SUSPENDED DIMENSIONS (MM)



POLAR CURVE 4000K MPO



POLAR CURVE 4000K OPAL



FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk
ISSUE DATE: 09/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland


CIRCUS SLIM DIRECT COMPONENTS




MATT WHITE
Powder-coated Matt
White painted finish.



GRAPHITE
Powder-coated
graphite finish.



**CENTRAL
SUSPENSION**
Stainless steel cable,
Max height 4000mm.
Only available for
sizes 600 - 2000mm.




MPO DIFFUSER
Micro Pyramidal
Optic diffuser.



MATT BLACK
Powder-coated Matt
Black painted finish.



CHAMPAGNE
Powder-coated
champagne finish.



**PARALLEL
SUSPENSION**
Stainless steel cable,
Max height 4000mm.



MATT SILVER
Powder-coated Matt
Silver painted finish.



COPPER
Powder-coated
copper finish.



OPAL DIFFUSER
Opal polycarbonate
diffuser.



CASAMBI

**60 YEARS
IN LIGHT**

**FOR MORE INFORMATION
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 09/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland

CIRCUS SLIM DIRECT SPECIFICATION CODE

AAAA - BB/C/D/E - F/GGG - HHHH/I								
AAAA PRODUCT ID	BB MOUNTING	C FINISH	D DRIVER	E DIFFUSER	F DIRECT LED	GGG CRI/ COLOUR	HHH DIAMETER/ SIZE (mm)	I EMERGENCY
CIRC (SLIM)	SM	B	F	O	M	827	0600	E
	WM	W	D	M	H	830	0900	
	SC	S	1			840	1200	
	SP	G	T				1500	
		H	C				2000	
		C					2500	
		X*					3000	
							3500	
							4000	
							5000	
						6000		
						7000		
						8000		

- * **X** Custom Options - specify details alongside code
- PRODUCT ID **CIRC (SLIM)** Circus Slim ceiling light
- MOUNTING **RE** Recessed, **SM** Surface Mounted, **WM** Wall Mounted, **SC** Suspended Central, **SP** Suspended Parallel
- FINISH **B** Black, **W** White, **S** Silver, **G** Graphite, **H** Champagne Silver, **C** Satin Copper
- DRIVER **F** Fixed Output, **D** DALI, **1** 1-10V, **T** Touch Dim, **C** Casambi control
- DIFFUSER **O** Opal, **M** MPO
- DIRECT LED **M** Medium power LED, **H** High power LED
- CRI / COLOUR **927** CRI 90+ Colour 2700K, **930** CRI 90+ Colour 3000K, **940** CRI 90+ Colour 4000K
- DIAMETER / SIZE Diameter/Size in millimetres
- EMERGENCY **E** Standard Integrated Emergency - specify details alongside code

STANDARD

Standard fixed option products for quick and easy specification. Point source LED and Linear LED solutions, organised into Track & Spots, Downlights, Recessed, Surface, Suspended and Wall mounted solutions.

MADE-TO-MEASURE

Versatile systems and luminaires with custom specifications for project-specific lighting. Available in custom sizes and lengths, with many options including curves, corners, finishes, integrated accessories and more.

BESPOKE

Bespoke luminaires demonstrating completely custom project solutions, designed with the clients from concept to delivery. Learn about the design process and inspire your next bespoke lighting project.



CASAMBI

**60 YEARS
IN LIGHT**

FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 09/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland