




# CIRCUS ULTRA SLIM

## PENDANT LIGHT



### KEY FEATURES

- Suspended by parallel wires or to a central ceiling rose
- 8 different sizes ranging from 600mm to 3500mm diameters
- Direct lighting in 2700K, 3000K or 4000K colour temperatures
- A range of dimming/control options including Fixed Output, 1-10V, DALI, Touch-Dim or Casambi control
- CRI >80 as standard, with >90 on request
- High Efficiency Medium Power LED with Opal diffuser
- White, Black, Silver, Graphite, Copper and Champagne finish



**CASAMBI**

**60 YEARS  
IN LIGHT**

#### FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69  
EMAIL: [sales@optelma.co.uk](mailto:sales@optelma.co.uk)

ISSUE DATE: 09/12/20

**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland

**CIRCUS ULTRA SLIM DIRECT SPECIFICATIONS**


PRODUCT OPTIONS	
Dimensions (mm):	38 (W) x 55 (H) x Various Diameters (below)
Cut-out (mm):	N/A
Lifetime:	50,000 hrs
Mounting type:	Suspended Parallel, Suspended Central
Finish:	White, Black, Silver, Graphite, Copper, Champagne*
Emergency:	N/A
Operating voltage:	230V
IP Rating:	IP20
Light source:	Medium Power LED
Driver:	Fixed Output, 1-10V, DALI, Touch Dim, Casambi control
Colour temperature:	2200K, 2700K, 3000K, 3500K, 4000K, 6500K
Beam Angle:	N/A
Diffuser:	Opal
CRI:	CRI80, CRI90
Optional Extras:	More finish options on request

\* Further finish options on request.


**■ CHOOSE A SIZE TO MATCH YOUR PROJECT**

Diameter /Size	Medium Power Direct Opal*
600	2560lm/28W
900	3970lm/42W
1200	5230lm/55W
1500	6610lm/70W
2000	8770lm/96W
2500	10970lm/116W
3000	13160lm/138W
3500	15350lm/161W

\* Luminaire luminous flux with 4000K LED. Diameter/Size in millimetres



SURFACE/SUSPENDED DIMENSIONS (MM)



POLAR CURVE 4000K OPAL



**FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69  
EMAIL: sales@optelma.co.uk  
ISSUE DATE: 09/12/20

**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland


**CIRCUS ULTRA SLIM DIRECT COMPONENTS**



**MATT WHITE**  
Powder-coated Matt  
White painted finish.



**GRAPHITE**  
Powder-coated  
graphite finish.




**CENTRAL  
SUSPENSION**  
Stainless steel cable,  
Max height 4000mm.  
Only available for  
sizes 600 - 2000mm.



**MATT BLACK**  
Powder-coated Matt  
Black painted finish.



**CHAMPAGNE**  
Powder-coated  
champagne finish.



**PARALLEL  
SUSPENSION**  
Stainless steel cable,  
Max height 4000mm.



**MATT SILVER**  
Powder-coated Matt  
Silver painted finish.



**COPPER**  
Powder-coated  
copper finish.



**OPAL DIFFUSER**  
Opal polycarbonate  
diffuser.



**CASAMBI**

**60 YEARS  
IN LIGHT**

**FOR MORE INFORMATION  
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69  
EMAIL: [sales@optelma.co.uk](mailto:sales@optelma.co.uk)

ISSUE DATE: 09/12/20

**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland

## CIRCUS ULTRA SLIM DIRECT SPECIFICATION CODE

AAAA - BB/C/D/E - F/GGG - HHHH/I								
AAAA PRODUCT ID	BB MOUNTING	C FINISH	D DRIVER	E DIFFUSER	F DIRECT LED	GGG CRI/ COLOUR	HHH DIAMETER/ SIZE (mm)	I EMERGENCY
CIRC (ULTRA- SLIM)	SC SP	B W S G H C X*	F D 1 T C	O	M	827 830 840	0600 0900 1200 1500 2000 2500 3000 3500	E

- \* **X** Custom Options - specify details alongside code
- PRODUCT ID **CIRC (ULTRA-SLIM)** Circus Ultra Slim ceiling light
- MOUNTING **SC** Suspended Central, **SP** Suspended Parallel
- FINISH **B** Black, **W** White, **S** Silver, **G** Graphite, **H** Champagne Silver, **C** Satin Copper
- DRIVER **F** Fixed Output, **D** DALI, **1** 1-10V, **T** Touch Dim, **C** Casambi control
- DIFFUSER **O** Opal
- DIRECT LED **M** Medium power LED
- CRI / COLOUR **927** CRI 90+ Colour 2700K, **930** CRI 90+ Colour 3000K, **940** CRI 90+ Colour 4000K
- DIAMETER / SIZE Diameter/Size in millimetres
- EMERGENCY **E** Standard Integrated Emergency - specify details alongside code

### STANDARD

Standard fixed option products for quick and easy specification. Point source LED and Linear LED solutions, organised into Track & Spots, Downlights, Recessed, Surface, Suspended and Wall mounted solutions.

### MADE-TO-MEASURE

Versatile systems and luminaires with custom specifications for project-specific lighting. Available in custom sizes and lengths, with many options including curves, corners, finishes, integrated accessories and more.

### BESPOKE

Bespoke luminaires demonstrating completely custom project solutions, designed with the clients from concept to delivery. Learn about the design process and inspire your next bespoke lighting project.



**CASAMBI**

**60 YEARS  
IN LIGHT**

#### FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69  
EMAIL: sales@optelma.co.uk

ISSUE DATE: 09/12/20

**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland