


## LAXA SLIM+

PENDANT/CEILING LIGHT



### KEY FEATURES

- Suspended and Rod Suspended versions
- Diameters from 300mm to 800mm
- Direct lighting in 2700K, 3000K or 4000K colour temperatures
- A range of dimming/control options including Fixed Output, 1-10V, DALI, Touch-Dim or Casambi control
- CRI >80 as standard, with >90 on request
- Integrated 3 hour emergency conversions available
- White, Black, Silver, Graphite, Copper and Champagne finish
- Multisensors on request



**CASAMBI**

**60 YEARS  
IN LIGHT**

**FOR MORE INFORMATION  
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69  
EMAIL: [sales@optelma.co.uk](mailto:sales@optelma.co.uk)

ISSUE DATE: 17/12/20

**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland

**LAXA SLIM+ DIRECT-INDIRECT SPECIFICATIONS**


PRODUCT OPTIONS	
Dimensions (mm):	Suspended: 38 (H) x Various Diameters (below)
Lifetime:	50,000 hrs
Mounting type:	Suspended Central*, Suspended Rod
Finish:	White, Black, Silver, Graphite, Copper, Champagne
Emergency:	Standard 3 hour emergency conversion
Operating voltage:	230V
IP Rating:	IP40 Suspended
Light source:	Medium Power Direct-Indirect LED, High Power Direct-Indirect LED*
Driver:	Fixed Output, 1-10V, DALI, Touch Dim, Casambi control
Colour temperature:	2200K, 2700K, 3000K, 3500K, 4000K, 6500K
Beam Angle:	N/A
Diffuser:	Opal, MPO
CRI:	CRI80, CRI90
Optional Extras:	Integrated sensors, custom finishes and more on request

\* Suspended central minimum suspension height is diameter - 100mm (200-700mm).  
Direct 55%, Indirect 45% distribution.


**CHOOSE A SIZE TO SUIT YOUR PROJECT**

Suspended Pendant	Medium Power Dir./Ind. Opal*	High Power Dir./Ind. Opal*	Medium Power Dir./Ind. MPO*	High Power Dir./Ind. MPO*
300	1420lm/11W	2400lm/19W	1410lm/11W	2390lm/19W
400	3050lm/23W	4890lm/37W	3030lm/23W	4860lm/37W
500	4060lm/29W	6700lm/49W	4020lm/29W	6640lm/49W
600	5920lm/41W	9450lm/68W	5850lm/41W	9340lm/68W
800	9140lm/78W	12120lm/110W	9000lm/78W	11940lm/110W

\* Luminaire luminous flux with 4000K LED. Direct-Indirect suspended only.



SUSPENDED DIMENSIONS (MM)



POLAR CURVE 4000K OPAL



**FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69  
EMAIL: sales@optelma.co.uk  
ISSUE DATE: 17/12/20


**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland

**LAXA SLIM+ DIRECT-INDIRECT COMPONENTS**



**MATT WHITE**  
Powder-coated Matt  
White painted finish.



**GRAPHITE**  
Powder-coated  
graphite finish.



**CENTRAL  
SUSPENSION**  
Stainless steel cable,  
Max height 1500mm.



**MATT BLACK**  
Powder-coated Matt  
Black painted finish.



**CHAMPAGNE**  
Powder-coated  
champagne finish.



**ROD SUSPENSION**  
Rod suspended  
version, 400-900mm  
diameters only.



**MATT SILVER**  
Powder-coated Matt  
Silver painted finish.



**COPPER**  
Powder-coated  
copper finish.



**FOR MORE INFORMATION  
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69  
EMAIL: [sales@optelma.co.uk](mailto:sales@optelma.co.uk)

ISSUE DATE: 17/12/20

**HEAD OFFICE**  
The Science Park  
Abingdon  
Oxfordshire  
OX14 3YT

**SHOWROOM**  
23 Bowling Green Lane  
Clerkenwell  
London  
EC1R 0BD

**PARIS OFFICE**  
28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWISS OFFICE**  
St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland

## LAXA SLIM+ DIRECT-INDIRECT SPECIFICATION CODE

AAAA - BB/C/D/E - F/GGG - F/GGG - HHHH/I										
AAAA PRODUCT ID	BB MOUNTING	C FINISH	D DRIVER	E DIFFUSER	F DIRECT LED	GGG CRI/ COLOUR	F INDIRECT LED	GGG CRI/ COLOUR	HHHH DIAMETER/ SIZE (mm)	I EMERGENCY
LAXA (SLIM)	SC SR	B W S G H C X*	F D 1 T C	O M	M H	827 830 840 927 930 940	M H	827 830 840 927 930 940	0300 0400 0500 0600 0800	E

- \* **X** Custom Options - specify details alongside code
- PRODUCT ID **LAXA (SLIM)** LAXA SLIM Ceiling Light
- MOUNTING **SC** Suspended Central, **SR** Suspended Rod
- FINISH **B** Black, **W** White, **S** Silver, **G** Graphite, **H** Champagne Silver, **C** Satin Copper
- DRIVER **F** Fixed Output, **D** DALI, **1** 1-10V, **T** Touch Dim, **C** Casambi control
- DIFFUSER **O** Opal, **M** MPO
- DIRECT LED **M** Medium power LED, **H** High power LED
- DIRECT LED CRI / COLOUR **827** CRI 80+ Colour 2700K, **830** CRI 80+ Colour 3000K, **840** CRI 80+ Colour 4000K  
**927** CRI 90+ Colour 2700K, **930** CRI 90+ Colour 3000K, **940** CRI 90+ Colour 4000K
- DIRECT LED CRI / COLOUR **M** Medium power LED, **H** High power LED  
**827** CRI 80+ Colour 2700K, **830** CRI 80+ Colour 3000K, **840** CRI 80+ Colour 4000K  
**927** CRI 90+ Colour 2700K, **930** CRI 90+ Colour 3000K, **940** CRI 90+ Colour 4000K
- DIAMETER / SIZE Diameter/Size in millimetres
- EMERGENCY **E** Standard Integrated Emergency - specify details alongside code
- + **MSENS** Multisensor - specify alongside code

### STANDARD

Standard fixed option products for quick and easy specification. Point source LED and Linear LED solutions, organised into Track & Spots, Downlights, Recessed, Surface, Suspended and Wall mounted solutions.

### MADE-TO-MEASURE

Versatile systems and luminaires with custom specifications for project-specific lighting. Available in custom sizes and lengths, with many options including curves, corners, finishes, integrated accessories and more.

### BESPOKE

Bespoke luminaires demonstrating completely custom project solutions, designed with the clients from concept to delivery. Learn about the design process and inspire your next bespoke lighting project.



**CASAMBI**

**60 YEARS  
IN LIGHT**

#### FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69  
 EMAIL: sales@optelma.co.uk

ISSUE DATE: 17/12/20

**HEAD OFFICE**  
 The Science Park  
 Abingdon  
 Oxfordshire  
 OX14 3YT

**SHOWROOM**  
 23 Bowling Green Lane  
 Clerkenwell  
 London  
 EC1R 0BD

**PARIS OFFICE**  
 28 Rue Charles  
 Baudelaire  
 75012 Paris  
 France

**SWISS OFFICE**  
 St. Urbangasse 53  
 Postfach 1738  
 CH-4502 Solothurn  
 Switzerland