




# PERLES LINEAR

PENDANT/CEILING LIGHT



## KEY FEATURES

- Linear plaster pendant, vertically or horizontally suspended
- High strength reinforced natural gypsum plaster from France
- Direct lighting in 3000K colour temperature (warm white)
- A range of dimming/control options including Fixed Output, 1-10V, DALI, Push-Dim or Casambi control
- High quality CRI 80+ LEDs
- Natural plaster finish can be painted on-site, or supplied with Acrylic White, Metallic or Matt Polyurethane Lacquer finishes



atelier sedap **CASAMBI**

**60 YEARS  
IN LIGHT**

CALL: +44 (0) 1235 55 37 69

EMAIL: sales@optelma.co.uk

ISSUE DATE: 13/01/21

### HEAD OFFICE

The Science Park  
Abingdon  
Oxfordshire OX14 3YT  
United Kingdom

### SHOWROOM

23 Bowling Green Lane  
Clerkenwell  
London EC1R 0BD  
United Kingdom

### FRANCE

28 Rue Charles  
Baudelaire  
75012 Paris  
France

### SWITZERLAND

St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland


## PERLES LINEAR PENDANT SPECIFICATIONS

PRODUCT OPTIONS	
Dimensions (mm):	70 (Ø) x 630 (L)
Cut-out (mm):	N/A
Weight (kg):	5.0 kg
Lifetime:	50,000 hrs
Mounting type:	Suspended Horizontal, Suspended Vertical
Finish:	Natural Plaster (ceiling rose: Matt White)
Emergency:	N/A (Separate Emergency lighting products available on request)
Operating voltage:	230V
IP Rating:	IP20
Light source:	High Power PCB LED's
Driver:	Fixed Output, DALI, Push-dim, Casambi control*
Colour temperature:	2700K, 3000K, 4000K
Beam Angle:	N/A
Diffuser:	Opal frosted polycarbonate
CRI:	CRI 90+
Optional Extras:	Alternative finishes on request, see components page below


### KEY FEATURES

Length	Source Lumens	Wattage	Weight
630 mm	2680 lm	16 W	5.0 kg


\* LED output at 4000K.



HORIZONTAL PENDANT DIMENSIONS (MM)



VERTICAL PENDANT DIMENSIONS (MM)



POLAR CURVE 4000K COB LED



atelier sedap **CASAMBI**

**60 YEARS**  
**IN LIGHT**

CALL: +44 (0) 1235 55 37 69

EMAIL: sales@optelma.co.uk

ISSUE DATE: 13/01/21

#### HEAD OFFICE

The Science Park  
Abingdon  
Oxfordshire OX14 3YT  
United Kingdom

#### SHOWROOM

23 Bowling Green Lane  
Clerkenwell  
London EC1R 0BD  
United Kingdom

#### FRANCE

28 Rue Charles  
Baudelaire  
75012 Paris  
France

#### SWITZERLAND

St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland

---


## PERLES LINEAR PENDANT COMPONENTS

---



**NATURAL  
PLASTER**

Made from high-strength plaster.



**PLASTER-IN  
HATCH**

For easy driver maintenance and clean ceilings.



**PARALLEL  
SUSPENSION**

Stainless steel cable,  
Max height 2000mm.



**MATT  
POLYURETHANE  
LACQUER**

Vibrant custom  
painted finishes.



**CEILING ROSE**

Powder-coated Matt  
White ceiling rose.



**METALLIC  
PAINTS**

Metal custom  
painted finishes.



atelier sedap **CASAMBI**

---

**60 YEARS  
IN LIGHT**

CALL: +44 (0) 1235 55 37 69  
EMAIL: [sales@optelma.co.uk](mailto:sales@optelma.co.uk)

ISSUE DATE: 13/01/21

**HEAD OFFICE**

The Science Park  
Abingdon  
Oxfordshire OX14 3YT  
United Kingdom

**SHOWROOM**

23 Bowling Green Lane  
Clerkenwell  
London EC1R 0BD  
United Kingdom

**FRANCE**

28 Rue Charles  
Baudelaire  
75012 Paris  
France

**SWITZERLAND**

St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland

## PERLES LINEAR PENDANT SPECIFICATION CODE

AAAA - BB/C/D/E - F/GGG - HHHH/I								
AAAA PRODUCT ID	BB MOUNTING	C FINISH	D DRIVER	E DIFFUSER	F INDIRECT LED	GGG CRI / COLOUR	HHH LENGTH / SIZE (mm)	I EMERGENCY
PERL (LINEAR)	SH SV	P	F 1 D P C	N	H	830	630	

- \* **X** Custom Options - specify details alongside code
- PRODUCT ID **PERL (LINEAR)** Perles Linear Plaster Pendant
- MOUNTING **SH** Suspended Horizontal, **SV** Suspended Vertical
- FINISH **P** Natural Plaster
- DRIVER **F** Fixed Output, **1** 1-10V Dimming, **D** DALI, **P** Push Dim, **C** Casambi
- DIFFUSER **N** None (N/A)
- DIRECT LED **H** High Power PCB LED
- CRI / COLOUR **830** CRI 80+ Colour 3000K
- LENGTH / SIZE Size in millimetres
- EMERGENCY No emergency options available

### STANDARD

Standard fixed option products for quick and easy specification. Point source LED and Linear LED solutions, organised into Track & Spots, Downlights, Recessed, Surface, Suspended and Wall mounted solutions.

### MADE-TO-MEASURE

Versatile systems and luminaires with custom specifications for project-specific lighting. Available in custom sizes and lengths, with many options including curves, corners, finishes, integrated accessories and more.

### BESPOKE

Bespoke luminaires demonstrating completely custom project solutions, designed with the clients from concept to delivery. Learn about the design process and inspire your next bespoke lighting project.



atelier sedap **CASAMBI**

**60 YEARS  
IN LIGHT**

CALL: +44 (0) 1235 55 37 69  
EMAIL: sales@optelma.co.uk

ISSUE DATE: 13/01/21

#### HEAD OFFICE

The Science Park  
Abingdon  
Oxfordshire OX14 3YT  
United Kingdom

#### SHOWROOM

23 Bowling Green Lane  
Clerkenwell  
London EC1R 0BD  
United Kingdom

#### FRANCE

28 Rue Charles  
Baudelaire  
75012 Paris  
France

#### SWITZERLAND

St. Urbangasse 53  
Postfach 1738  
CH-4502 Solothurn  
Switzerland