




COLONNE

PENDANT/CEILING LIGHT



KEY FEATURES

- Suspended tapered cylinders wrapped in ribbon
- Various sizes from 620mm to 1900mm tall
- Suspended from a central wire with transparent cable
- E27 lamps (Led, Fluo, Incandescent)
- Fixed Output or dimmable (dependant on lamp choice)
- Hand-wrapped ribbon diffuser in White, Ivory, Clementine, Red and Grey finish.



**60 YEARS
IN LIGHT**

**FOR MORE INFORMATION
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 17/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT


SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France


SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland

COLONNE PENDANT SPECIFICATIONS

PRODUCT OPTIONS	
Dimensions (mm):	160-180 (Ø) x 620-1900 (H) (see options below)
Lifetime:	50,000 hrs
Mounting type:	Suspended
Finish (Ribbon):	White, Ivory, Clementine, Red, Grey
Emergency:	N/A
Weight:	up to 4.0 kg
Operating voltage:	100-240V AC 50-60Hz
IP Rating:	IP20
Light source:	E27 LED bulb (LAMPS NOT INCLUDED) or Integrated LED
Driver:	Fixed Output, Dimmable (dependant on lamp choice)
Colour temperature:	2700K (dependant on lamp choice)
Beam Angle:	N/A
Diffuser:	Hand-wrapped translucent Ribbon
CRI:	CRI 80
Optional Extras:	Alternate colour temperatures, Tuneable White or RGBW on request Specify Central Ceiling Rose or Parallel Wires



SUSPENDED VERTICAL (MM)



POLAR CURVE INTEGRATED LED (2700K)

CHOOSE A SIZE TO SUIT YOUR PROJECT

Diameter/Height (mm)	Source	Output (lm)*	Power (W)*
160 (Ø) x 620 (H)	1 x E27 lamp	1521 lm	13 W
190 (Ø) x 900 (H)	2 x E27 lamp	3042 lm	26 W
200 (Ø) x 1200 (H)	2 x E27 lamp	3042 lm	26 W
180 (Ø) x 1600 (H)	3 x E27 lamp	4563 lm	39 W
210 (Ø) x 1900 (H)	4 x E27 lamp	6084 lm	52 W

* Source Lumens at 2700K based on Phillips E27 13W LED Bulb. LAMPS NOT INCLUDED.

Diameter/Height (mm)	Source	Output (lm)*	Power (W)*
160 (Ø) x 620 (H)	Integrated LED	1740 lm	25 W
190 (Ø) x 900 (H)	Integrated LED	2250 lm	33 W
200 (Ø) x 1200 (H)	Integrated LED	3180 lm	46 W
180 (Ø) x 1600 (H)	Integrated LED	4500 lm	65 W
210 (Ø) x 1900 (H)	Integrated LED	5400 lm	80 W

* Source Lumens based on Integrated LED at 2700K.



**60 YEARS
IN LIGHT**

FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk
ISSUE DATE: 17/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland


COLONNE PENDANT COMPONENTS



**WHITE RIBBON
DIFFUSER**
Pure white ribbon for
a cooler appearance.



**RED RIBBON
DIFFUSER**
Coloured ribbon for
stylised interiors.




**CENTRAL CEILING
ROSE**
Central ceiling rose
suspension and
power cable.



**IVORY RIBBON
DIFFUSER**
Ivory tinted ribbon for
warmer interiors.



**GREY RIBBON
DIFFUSER**
Coloured ribbon for
stylised interiors.



**OFFSET CEILING
ROSE**
Central suspension
with offset Ceiling
rose / power cable.



**CLEMENTINE
RIBBON DIFFUSER**
Coloured ribbon for
stylised interiors.



PHILIPS

**E27 LAMPS NOT
INCLUDED**
For the E27 version,
lamps are not
included.



**FOR MORE INFORMATION
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 17/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland

**60 YEARS
IN LIGHT**

COLONNE PENDANT SPECIFICATION CODE

AAAA - BB/C/D/E - F/GGG - F/GGG - HHHH/I								
AAAA PRODUCT ID	BB MOUNTING	C FINISH	D DRIVER	E DIFFUSER	F DIRECT LED	GGG CRI / COLOUR	HHH LENGTH / SIZE (mm)	I EMERGENCY
COLO	SU	W I C R G	F D	R	E L	827 XXX*	0620 0900 1200 1600 1900	

* **X** Custom Options - specify details alongside code

PRODUCT ID **COLO** Colonne Pendant

MOUNTING **SU** Suspended Pendant

FINISH **W** White Ribbon, **I** Ivory Ribbon, **C** Clementine Ribbon, **R** Red Ribbon, **G** Grey Ribbon

DRIVER **F** Fixed Output, **D** Dimmable

DIFFUSER **R** Ribbon

DIRECT LED **E** E27 version (lamps not included), **L** Integrated LED

CRI / COLOUR **827** CRI 80+ Colour 2700K

LENGTH / SIZE Length/Size/Height in millimetres

EMERGENCY N/A

+ Offset Ceiling Rose on request

STANDARD

Standard fixed option products for quick and easy specification. Point source LED and Linear LED solutions, organised into Track & Spots, Downlights, Recessed, Surface, Suspended and Wall mounted solutions.

MADE-TO-MEASURE

Versatile systems and luminaires with custom specifications for project-specific lighting. Available in custom sizes and lengths, with many options including curves, corners, finishes, integrated accessories and more.

BESPOKE

Bespoke luminaires demonstrating completely custom project solutions, designed with the clients from concept to delivery. Learn about the design process and inspire your next bespoke lighting project.



**60 YEARS
IN LIGHT**

FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 17/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland