



TUBE 60

PENDANT/WALL LIGHT



KEY FEATURES

- Available as a Wall mounted or Suspended solution, in a vertical or horizontal orientation.
- 60mm opal tubes in 540mm, 1040mm and 1540mm lengths.
- Ambient lighting with a choice of 2700K, 3000K or 4000K colour temperatures including tuneable on request.
- A range of dimming/control options including Fixed Output, 1-10V, DALI or Touch-Dim.
- CRI >80 as standard, with >90 on request.
- Matt White, Matt Black and Matt Silver End-cap finishes.



CASAMBI

**60 YEARS
IN LIGHT**

**FOR MORE INFORMATION
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 10/02/21

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland

TUBE 60 SPECIFICATIONS


PRODUCT OPTIONS	
Dimensions (mm):	60mm diameter x 540 / 1040 / 1540mm lengths
Cut-out (mm):	N/A
Lifetime:	50,000 hrs
Mounting type:	Suspended Horizontal, Suspended Vertical, Wall Mounted*
Finish:	Matt White, Matt Black, Matt Silver (End Caps)
Emergency:	N/A
Operating voltage:	24V DC
IP Rating:	IP20
Light source:	Medium Power LED
Driver:	Fixed Output, 1-10V, DALI, Touch Dim.
Colour temperature:	2700K, 3000K, 4000K, Tuneable on request.
Beam Angle:	N/A
Diffuser:	
CRI:	>80
Optional Extras:	

*2.5M cable suspensions as standard, 5M or 10M available on request.


■ CHOOSE A SIZE TO MATCH YOUR PROJECT

Length (mm)	Lumen output*	Power	Weight (kg)
540	936 lm	19.2 W	1 kg
1040	1872 lm	38.4 W	1.8 kg
1540	2808 lm	57.6 W	2.5 kg

* Luminaire luminous flux at 4000K with Opal diffuser LOR35%.



CROSS-SECTION DIMENSIONS (MM)



CROSS-SECTION DIMENSIONS (MM)



CASAMBI

**60 YEARS
IN LIGHT**

FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 10/02/21


HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD


PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland


TUBE 60 COMPONENTS



MATT WHITE
Powder-coated Matt
White RAL 9016
painted finish.




MATT BLACK
Powder-coated Matt
Black RAL 9005
painted finish.




MATT SILVER
Powder-coated Matt
Silver RAL 9006
painted finish.



**HORIZONTAL
SUSPENSION**
2.5M, 5M or 10M
stainless steel cable.



**VERTICAL
SUSPENSION**
2.5M, 5M or 10M
stainless steel cable.



WALL MOUNTED
Wall mounting
brackets.



CASAMBI

**60 YEARS
IN LIGHT**

**FOR MORE INFORMATION
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 10/02/21

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland

TUBE 60 SPECIFICATION CODE

AAAA - BB/C/D/E - F/GGG - HHHH/I								
AAAA PRODUCT ID	BB MOUNTING	C FINISH	D DRIVER	E DIFFUSER	F DIRECT LED	GGG CRI / COLOUR	HHH DIAMETER / SIZE (mm)	I EMERGENCY
TU05	WM	B	F	O	M	827	540	
TU10	SH	W	D		X*	830	1040	
TU15	SV	S X*	1 T			840	1540	

* **X** Custom Options - specify details alongside code

MOUNTING **WM** Wall Mounted, **SH** Suspended Horizontally, **SV** Suspended Vertically

FINISH **B** Matt Black, **W** Matt White, **A** Anodised Aluminium

DRIVER **F** Fixed Output, **D** DALI, **1** 1-10V, **T** Touch Dim

DIFFUSER **O** Opal

DIRECT LED **M** Medium power 9.6W/M, **X** See our range of LED Tapes online.

CRI / COLOUR **827** CRI 80+ Colour 2700K, **830** CRI 80+ Colour 3000K, **840** CRI 80+ Colour 4000K,
LENGTH Set lengths shown in millimetres.

EMERGENCY None

STANDARD

Standard fixed option products for quick and easy specification. Point source LED and Linear LED solutions, organised into Track & Spots, Downlights, Recessed, Surface, Suspended and Wall mounted solutions.

MADE-TO-MEASURE

Versatile systems and luminaires with custom specifications for project-specific lighting. Available in custom sizes and lengths, with many options including curves, corners, finishes, integrated accessories and more.

BESPOKE

Bespoke luminaires demonstrating completely custom project solutions, designed with the clients from concept to delivery. Learn about the design process and inspire your next bespoke lighting project.



CASAMBI

**60 YEARS
IN LIGHT**

FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 10/02/21

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland