




FLOOR SLOT XL

WALL LIGHT



KEY FEATURES

- Inset linear slots for low-level lighting
- Recessed plaster-in mounting for seamless integration
- 25mm slots, 200mm or 300mm tall
- High strength reinforced plaster
- Integrated constant current or constant voltage LEDs
- Warm White 2700K Colour Temperature
- Fixed Output or Dimmable (DALI / 1-10V) power supplies
- Perfect for stair lighting or decorative hallway lighting
- Natural plaster finish is paintable to match wall finish



60 YEARS
IN LIGHT

FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 17/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD


PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland


FLOOR SLOT XL SPECIFICATIONS

PRODUCT OPTIONS		
Dimensions (mm):	25 (W) x 200mm (H)	25 (W) x 300mm (H)
Cut-out (mm):	160 (W) x 278 (H) x 55mm (D)	160 (W) x 390 (H) x 55mm (D)
Weight:	1.8 kg	2 kg
Lifetime:	50,000 hrs	
Mounting type:	Wall Mounted (Plaster-in Recessed)	
Finish:	Natural Plaster*	
Emergency:	N/A	
Operating voltage:	Constant Voltage 24V, or Constant Current 350mA/500mA	
IP Rating:	IP20	
Light source:	Magnetised High Power LED	
Source Lumens:	218 lm (24V), 264 lm (350mA), 320 lm (500mA)	
Delivered Lumens:	218 lm (24V), 264 lm (350mA), 320 lm (500mA)	
Power:	2 W (24V), 2W (350mA), 3W (500mA)	
Efficiency:	109 lm/W	
Driver:	Fixed Output, DALI or 1-10V Dimmable	
Colour temperature:	2700K (4000K on request)	
Beam Angle:	N/A	
Diffuser:	N/A	
CRI:	CRI 80	
Optional Extras:		


* Can be painted on-site to match finish of wall



SIZE 1 DIMENSIONS (MM)



SIZE 2 DIMENSIONS (MM)



POLAR CURVE INTEGRATED LED (2700K)



**60 YEARS
IN LIGHT**

**FOR MORE INFORMATION
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 17/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland

FLOOR SLOT XL COMPONENTS



**NATURAL
PLASTER**

Made from high-strength plaster.



**RECESSED
PLASTER-IN**

Recessed, screwed to a frame and skimmed to provide seamless integration..



INTEGRATED LED

Magnetised High Power LED source.



**60 YEARS
IN LIGHT**

**FOR MORE INFORMATION
OR TO TALK ABOUT A PROJECT:**

CALL: +44 (0) 1235 55 37 69
EMAIL: sales@optelma.co.uk

ISSUE DATE: 17/12/20

HEAD OFFICE
The Science Park
Abingdon
Oxfordshire
OX14 3YT

SHOWROOM
23 Bowling Green Lane
Clerkenwell
London
EC1R 0BD

PARIS OFFICE
28 Rue Charles
Baudelaire
75012 Paris
France

SWISS OFFICE
St. Urbangasse 53
Postfach 1738
CH-4502 Solothurn
Switzerland

FLOOR SLOT XL SPECIFICATION CODE

AAAA - BB/C/D/E - F/GGG - F/GGG - HHHH/I								
AAAA PRODUCT ID	BB MOUNTING	C FINISH	D DRIVER	E DIFFUSER	F DIRECT LED	GGG CRI / COLOUR	HHH LENGTH / SIZE (mm)	I EMERGENCY
3202 3203	PI	P	F D 1	N	V C	827	0200 0300	

- * **X'** Custom Options - specify details alongside code
PRODUCT ID '3202' Floor Slot XL 200mm Wall Light, '3203' Floor Slot XL 300mm Wall Light
MOUNTING 'PI' Plaster-in Recessed (Wall)
FINISH 'P' Natural Plaster
DRIVER 'F' Fixed Output, 'D' DALI Dimmable, '1' 1-10V Dimmable
DIFFUSER 'N' None
DIRECT LED 'V' High Power Constant Voltage LED, 'C' High Power Constant Current LED
CRI / COLOUR '827' CRI 80+ Colour 2700K
LENGTH / SIZE Length/Size (/height) in millimetres
EMERGENCY N/A
- + '350mA' Constant Current, '500mA' Constant Current - specify alongside code

STANDARD

Standard fixed option products for quick and easy specification. Point source LED and Linear LED solutions, organised into Track & Spots, Downlights, Recessed, Surface, Suspended and Wall mounted solutions.

MADE-TO-MEASURE

Versatile systems and luminaires with custom specifications for project-specific lighting. Available in custom sizes and lengths, with many options including curves, corners, finishes, integrated accessories and more.

BESPOKE

Bespoke luminaires demonstrating completely custom project solutions, designed with the clients from concept to delivery. Learn about the design process and inspire your next bespoke lighting project.



**60 YEARS
IN LIGHT**

FOR MORE INFORMATION OR TO TALK ABOUT A PROJECT:

CALL: +44 (0) 1235 55 37 69
 EMAIL: sales@optelma.co.uk

ISSUE DATE: 17/12/20

HEAD OFFICE
 The Science Park
 Abingdon
 Oxfordshire
 OX14 3YT

SHOWROOM
 23 Bowling Green Lane
 Clerkenwell
 London
 EC1R 0BD

PARIS OFFICE
 28 Rue Charles
 Baudelaire
 75012 Paris
 France

SWISS OFFICE
 St. Urbangasse 53
 Postfach 1738
 CH-4502 Solothurn
 Switzerland